

Dräger PAS® MAC Series Airline Equipment

Providing continuous breathing quality air to safety professionals in the harshest of environments, these Mobile Breathing Air Compressors meet the needs of single or multiple users over long durations. Available in electric- or diesel-driven versions, each of the four models is fully compatible with Dräger compressed air and airline breathing equipment.



Benefits

Rugged and reliable in severe conditions

Used throughout industry by power stations, water authorities, fire brigades and the armed forces, the Dräger range of mobile breathing air compressors is equally at home in the nuclear and petrochemical industries, as well as gas distribution, oil refineries for tank cleaning and in other hazardous material handling applications. Ideal for use in the most severe environmental conditions, these rugged units set the standard in transportable, extended duration life support systems. Due to the construction, each compressor can be craned and the diesel versions are street-legal.

Safe operation by the use of a reserve system

Each of the PAS MAC2000, 4000 and 8000 units incorporate a "fail-safe" system as standard. Sounding an alarm in the event of failure, they automatically switch to an onboard cylinder reserve system. In line with current health and safety requirements for diesel engines in hazardous areas, such as EN 1834-1:2000 and the need to prevent ignition of combustible materials, both diesel driven compressors are fitted with a Chalwyn shut-off valve and spark arrestor as standard.

Continuous breathing quality air acc. to EN 12021

In order to check the quality of breathing air from a compressor the product families Dräger Aerotest and Dräger Air Tester ranges provide an efficient method for the detection of toxic gases in dispersed compressed air. The standard version of the PAS MAC4000 and 8000 is already equipped with a membrane dryer dehumidifying the breathing air. For additional safety regarding purity of breathing air both versions can alternatively be equipped with a pressure swing dryer for the suppression of CO and CO₂ and for drying the air.

Electric (ATEX option) and diesel driven versions

Simple to maneuver to wherever a constant supply of breathing quality air is required, the range comprises two electrically driven units (optionally as ATEX version for use in explosive atmospheres) with outputs from 185 to 425 l/min and two diesel driven compressors with outputs from 710 to 1,710 l/min. Designed to minimize the effects on the environment, each model retains any oil-contaminated residue, and the two diesel units meet the requirements of EC 2000/14/EC for noise levels.

Flexible in use

Easily configured to suit specific user requirements, each unit can be quickly connected to any Dräger breathing apparatus and airline equipment including chemical protection suits fitted with ventilation systems.

Four models to suit every application

The mobile breathing air compressors are available in the versions PAS MAC1000, 2000, 4000 and 8000. A more detailed description of the different models can be found under "Options".

System components

D-13088-2010



Dräger CPS 5800

The Dräger CPS 5800 is a limited-use chemical protective suit for industrial applications and operations on board that involve a gaseous, liquid or solid hazardous substance.

ST-720-2008



Dräger SPC 3800

Chemical protective suits are used whenever and wherever a person's skin has to be protected from the harmful effects of hazardous liquids. If there is a risk that the entire body may come into contact with solid or liquid chemicals, complete coveralls are the only way to ensure full protection.

D-38860-2011



Dräger PAS® Lite

For use in industrial applications where a simple, robust and easy to use breathing apparatus is required, the Dräger PAS® Lite Self-Contained Breathing Apparatus (SCBA) combines reliability with comfort and performance.

ST-1179-2008



Dräger Aerotest® Simultan HP

Dräger Aerotest® Simultan HP is used to determine the quality of respiratory air in high-pressure applications. In combination with the new Dräger Oil Impactor the system offers a unique quality level for the monitoring of compressed air.

System components



D-13629-2010

Dräger Panorama Nova®

The respiratory mask Panorama Nova® meets the highest standards of protection, sealing and quality. For decades proven worldwide, the full face mask represents absolute reliability in the protection of the respiratory tract and eyes.



D-13666-2010

Dräger FPS® 7000

The Dräger FPS® 7000 full-face mask series sets new standards in terms of safety and wearing comfort. Thanks to its enhanced ergonomics and the availability of multiple sizes, it offers a large, optimized field of vision and a very comfortable, secure fit.



ST-3559-2003

Dräger PAS® Micro

Combining versatility, ease of use and the latest in breathing apparatus design, Dräger's PAS® Micro is among the most technologically advanced short duration and emergency escape units available.




ST-3557-2003

Dräger PAS® Colt

Combining versatility, ease of use and the latest in breathing apparatus design, Dräger's PAS® Colt is among the most technologically advanced short duration and emergency escape units available.

Accessories



ST-6147-2007

Dräger PSS® 7000


Developed by professionals for professionals, the Dräger PSS® 7000 breathing apparatus is a major milestone in our continuing development of breathing devices for the professional fire fighter.



D-4286-2010

Dräger PSS® 5000

The Dräger PSS® 5000 SCBA is a high performance breathing apparatus for the professional firefighter. Combining advanced ergonomics with a wide range of configurable options the Dräger PSS® 5000 provides the user with the comfort and versatility to meet the demands of first responders whenever breathing protection is required.



D-7465-2010

Dräger PSS® 3000

The Dräger PSS® 3000 is a high performing breathing apparatus for firefighters. Combining comfort with exceptional pneumatic performance, it is designed for applications where simplicity and ease of use are key essentials. Lightweight yet robust, and easy to don, this advanced breathing apparatus provides the ultimate in breathing protection.

Technical Data

	Dräger PAS® MAC1000	Dräger PAS® MAC2000	Dräger PAS® MAC4000	Dräger PAS® MAC8000
Number of outlets	1	1 to 2	1 to 4 + 1 large capacity	1 to 8 + 1 large capacity
Breathing air quality standard	EN 12021 (latest)	EN 12021 (latest)	EN 12021 (latest)	EN 12021 (latest)
Motor/engine	Electric, 230V Single phase Power supply required	Electric, 400V Three phase Power supply required	Diesel	Diesel
Flow rate (maximum)	185 l/min at 9 bar	425 l/min at 9 bar	710 l/min at 9 bar	1,710 l/min at 9 bar
Effects on environment	Oil contaminated condensate retained in bottle	Oil contaminated condensate retained in bottle	EC 2000/14/EC for noise levels. Oil contaminated condensate retained in bottle	EC 2000/14/EC for noise levels. Oil contaminated condensate retained in bottle
Environmental protection	IP 55	IP 55	Designed for outdoor use	Designed for outdoor use
Operating temperature range (°C)	0 to 45	0 to 45	0 to 45 If pressure swing dryer option fitted -6 to +45	0 to 45 If pressure swing dryer option fitted -6 to +45
Size (L x W x H) (mm)	980 x 586 x 770	1,380 x 665 x 870	2,980 x 1,500 x 1,400	3,000 x 1,390 x 1,240
Weight (kg)	115	210	650	1,180

Ordering Information

Dräger PAS® Mobile Breathing Air Compressors

Dräger PAS MAC1000 (electric)	3358223
Dräger PAS MAC2000 (electric)	3358224
Dräger PAS MAC4000 incl. membrane dryer (diesel)	3358226
Dräger PAS MAC4000 incl. pressure swing dryer (diesel)	3358227
Dräger PAS MAC8000 incl. membrane dryer (diesel)	3358229
Dräger PAS MAC8000 incl. pressure swing dryer (diesel)	3358230

Product options

Dräger PAS MAC1000 (ATEX version)	for details please contact Dräger
Dräger PAS MAC2000 (ATEX version)	for details please contact Dräger
Low-pressure audible and visual alarm (PAS MAC1000)	for details please contact Dräger

Accessories

4 man distribution panel	3358796
3/4" distribution hose 15 m long	3358797
1/2" distribution hose 30 m long	3358794
4 man distribution panel (alarmed)	3358799
Air supply hose 3 m	3352463
Air supply hose 5 m	AL01260
Air supply hose 10 m	AL01261
Air supply hose 20 m	AL01262
Air supply hose 25 m	3357049
Air supply hose 30 m	3352467
Air supply hose 45 m	AL01263
Air supply hose 50 m	3352468
Air supply hose without couplings	AL01253

Ordering Information

Dräger SCBA

Dräger PSS 7000	for details please contact Dräger
Dräger PSS 5000	for details please contact Dräger
Dräger PSS 3000	for details please contact Dräger
Dräger PAS Lite	for details please contact Dräger
Dräger PAS Micro	for details please contact Dräger
Dräger PAS Colt	for details please contact Dräger

Dräger Full Face Masks

Dräger FPS 7000	for details please contact Dräger
Dräger Panorama Nova	for details please contact Dräger

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS
25, rue Georges Besse
92182 Antony Cedex
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
europa.south@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd
25 International Business Park
#04-20/21 German Centre
Singapore 609916
Tel +65 6308 9400
Fax +65 6308 9401
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L.
Complejo Business Park,
V tower, 10th floor
Panama City
Tel +507 377 9100
Fax +507 377 9130
contactcsa@draeger.com

Locate your Regional
Sales Representative at:
www.draeger.com/contact

